

Mix & Match Emulsifier Bar

Trade Name	INCI Name	Low Viscosity	Medium Viscosity	High Viscosity	Supplier
		(% w/w)	(% w/w)	(% w/w)	
Water	Water	92.8	90.8	88.8	
Butylene Glycol	Butylene Glycol	2	2	2	LBBS
FLOCARE™ ET 100	Sodium Polyacrylate, Ethylhexyl Stearate, and Trideceth-6	1	1	1	SNF
PRODHYFLUID®	Sorbitan Oleate, Polysorbate 80, Caprylic/Capric Triglyceride, Squalane, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Polysorbate 20, and Tocopherol	1	-	-	Prod'hyg
CAPROL® MPGO	Polyglyceryl-3 Oleate and Polyglycerol-10 Mono/Dioleate	-	3	3	Abitec
Myverol 18-06	Glyceryl Stearate	-	-	2	Kerry
CAPMUL® 708G	Glyceryl Caprylate	1	1	1	Abitec
CAPTEx® 100	Propylene Glycol Dicaprate	1	1	1	Abitec
Jojoba Oil	Simmondsia Chinensis (Jojoba) Seed Oil	1	1	1	LBBS
CustoCide BDHA	Benzyl Alcohol (and) Dehydroacetic Acid	0.2	0.2	0.2	LBBS
		Cold Process		Hot Process	
Viscosity		4,580 CPS	8,280 CPS	22,150 CPS	



Read the procedures
Scan here!

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability, or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments.